

SPACE TYPES & REQUIREMENTS



School Supply/Storage Area

School Type:



Functional Area Descriptions

The school supply/storage area serves as the primary storage area for the school. To serve the functionality of the school include small storage areas for everyday items throughout the school. Locate the room on the first floor, with exterior vehicle access and double exterior doors. Provide windows high above ground level to clear the shelving heights and reduce security risks.

1 Central Supply/Storage Area

Allow space for receiving deliveries, unpacking boxes, assembling furniture, etc. near the exterior doors. Provide several lockable storage cabinets near the supply technician's office for storage of high value items. Equip this area with steel storage shelving throughout. Coordinate the height of shelving with clearances required for sprinkler systems.


2 Supply Technician (SSA) Office

Provide a small lockable office near the corridor entry to the supply/storage room for the supply technician. Provide windows or view panels in doors as required for visual surveillance of the supply/storage area.

3 Flammable Storage Area

A small room for storage of flammable and other hazardous items located adjacent to the supply room. This room shall be accessed from the exterior only.

Adjacency Diagram



Planning Requirements (varies - see Planning Requirements, Detailed at end of this Ed Spec)

| Area Description | SF | M ² | Notes |
|-----------------------------------|--------|----------------|--------------------------|
| School Supply/Storage Area | | | |
| 1 Central Supply/Storage Area | varies | varies | Locate near loading dock |
| 2 Supply Technician (SSA) Office | 100 | 9 | |
| 2 Flammable Storage Area | 100 | 9 | |

Planning Requirements, Detailed

| Imperial (English) Units | | | | | |
|-----------------------------------|--------------------------------|--------------|----------------|----------------|----------------|
| School Supply/Storage Area | | 0-500 | 501-750 | 751-900 | >900 |
| 1 | Central Supply/Storage Area | 1200 | 1500 | 1800 | 2100 |
| 2 | Supply Technician (SSA) Office | 100 | 100 | 100 | 100 |
| 3 | Flammable Storage Area | 100 | 100 | 100 | 100 |

| Total Net Area | | 0-500 | 501-750 | 751-900 | >900 |
|-----------------------|---|--------------|----------------|----------------|----------------|
| | Total Net Area - School Supply/Storage Area | 1400 | 1700 | 2000 | 2300 |

| Metric Units | | | | | |
|-----------------------------------|--------------------------------|--------------|----------------|----------------|----------------|
| School Supply/Storage Area | | 0-500 | 501-750 | 751-900 | >900 |
| 1 | Central Supply/Storage Area | 111 | 139 | 167 | 195 |
| 2 | Supply Technician (SSA) Office | 9 | 9 | 9 | 9 |
| 3 | Flammable Storage Area | 9 | 9 | 9 | 9 |

| Total Net Area | | 0-500 | 501-750 | 751-900 | >900 |
|-----------------------|---|--------------|----------------|----------------|----------------|
| | Total Net Area - School Supply/Storage Area | 129 | 157 | 185 | 213 |